President, Dr. H. F. Perkins, University of Vermont, Burlington; Secretary, Prof. G. P. Burns, University of Vermont; Treasurer, Mrs. Nellie F. Flynn, Burlington; Editors: G. L. Kirk, Rutland, and Prof. A. E. Lambert, Middlebury; Librarian, Miss Phoebe M. Towle, Burlington.

The summer meeting of 1916 will be held at Wallingford, probably in the early part of July.— Nellie F. Flynn, Burlington, Vermont.

Chelone Glabra L., forma **rosea**, n. f., corolla rosea fauce purpurea. Corolla rose-color, with purple throat.—New Hampshire: borders of wet woods near The Flume, Lincoln, September 1, 1915, Fernald, no. 11,871 (Type in Gray Herb.).

A very handsome form, in color suggesting the more southern C. obliqua L. and C. Lyoni Pursh, but with the entire bracts of C. glabra, in which the corolla is ordinarily white or whitish with a pearly-pink or roseate throat.— M. L. Fernald.

Rynchospora macrostachya within the Boston District.—
In looking over past numbers of Rhodora recently, I noticed the absence from the "Flora of the Boston District" of a sedge that is locally abundant at North Easton and I think that a report of it may be of interest to some of the readers. On September 13, 1915, I collected specimens of Rynchospora macrostachya Torr. growing abundantly about a pond in North Easton, Massachusetts. All gradations of this species and its variety inundata (Oakes) Fernald seemed to thrive along one shore of this particular pond. This station appears to have been unrecorded, although there are recorded stations slightly to the northeast, at Great Pond, South Weymouth and at Great Pond, Braintree (see Blake, Rhodora, xv. 19).— Charles Schweinfurth, North Easton, Massachusetts.

Vol. 18, no. 206, including pages 29 to 52, was issued 13 March, 1916.